

Please print or type. Form designed for use on elite (12-pitch typewriter).

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAD08651000593077		Manifest Document No. 3077		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.									
3. Generator's Name and Mailing Address Douglas Aircraft Co. 19503 S. Normandie Ave. M/C: C6-59 Torrance, CA 90502						A. State Manifest Document Number 90411883											
4. Generator's Phone (310) 533-7926 OR (310) 533-7231						B. State Generator's ID H A H 036005698											
5. Transporter 1 Company Name United Pumping Service, Inc.						C. State Transporter's ID 063-908999											
6. US EPA ID Number CAD072953771						D. Transporter's Phone (518) 961-7326											
7. Transporter 2 Company Name						E. State Transporter's ID											
8. US EPA ID Number						F. Transporter's Phone											
9. Designated Facility Name and Site Address Norris Industries 5215 S. Boyle Avenue Los Angeles, CA 90058						G. State Facility's ID CAD097030993											
10. US EPA ID Number CAD097030993						H. Facility's Phone (213) 588-7111											
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.					
a. RQ, Waste Corrosive Liquid, N. O. S. (Chromic Acid) Corrosive Material, UN1760 (D002, D007)						001 TT 131110P						State 723, 792 EPA/Other D002, D007					
b.												State EPA/Other					
c.												State EPA/Other					
d.												State EPA/Other					
J. Additional Descriptions for Materials Listed Above a) Chromic acid acidifying solution from Tank 195 which had been held in Baker Tank, plus rinse water from Baker Tank. Chromic Acid 0-6%, Water 94-100% Waste Acceptance # E 010 6200105 NG						K. Handling Codes for Wastes Listed Above a. 15 b. c. d.											
15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at (800) 424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. DOT Emergency Response Guide # 60. Norris should bill United Pumping for the disposal charge.																	
16. United Pumping will bill Douglas.																	
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.																	
Printed/Typed Name Robert G. Tuell, Jr.						Signature Robert G. Tuell, Jr.				Month Day Year 05/1/79							
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name ENRIQUE A GRANADOS				Signature Enrique A Granados				Month Day Year 05/1/79			
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name				Signature				Month Day Year			
19. Discrepancy Indication Space See 11.0 Other Toxic Constituents present in waste cons. > 1% REM Unit LH-D006 D008.																	
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.																	
Printed/Typed Name Alan Ahmadi						Signature Alan Ahmadi				Month Day Year 05/1/79							

90411883
IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA CALL 1-800-852-7550

Do Not Write Below This Line

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

Please print or type. Form designed for use on elite (12-pitch typewriter).

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest
Document No.

2. Page 1
of 1

Information in the shaded areas
is not required by Federal law.

3. Generator's Name and Mailing Address

Douglas Aircraft Co. Attn: R. Tuell
19533 S. Normandie Ave. M/C: C6-59
Torrance, CA 90502
310-533-7926 OR (310) 533-7231

A. State Manifest Document Number

90411883

B. State Generator's ID

HAH0360056981

4. Generator's Phone ()

C. State Transporter's ID

63-908499

5. Transporter 1 Company Name

United Pumping Service, Inc. CAD072953771

D. Transporter's Phone

(818) 961-7326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

Norris Industries
5215 S. Boyle Avenue
Los Angeles, CA 90058

10. US EPA ID Number

G. State Facility's ID

H. Facility's Phone

(213) 588-7111

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

I. Waste No.

a. RQ, Waste Corrosive Liquid, N.O.S.
(Chromic Acid)
Corrosive Material, UN1760 (D002, D007) 001 TT 131110 P

State

EPA/Other

0002, D007

b.

State

EPA/Other

c.

State

EPA/Other

d.

State

EPA/Other

J. Additional Descriptions for Materials Listed Above

a) Chromic acid acidifying solution from Tank 175
which had been held in Baker Tanks plus rinse
water from Baker Tanks.
Chromic Acid 0-6%, Water 94-100%
Waste Acceptance # E 010 6200105 NG

K. Handling Codes for Wastes Listed Above

a.

b.

c.

d.

15. Special Handling Instructions and Additional Information

In case of accident contact Chemtree at (800) 424-9300. Do
not breathe vapors. Do not wash into sewer or waterway. If
unable to deliver, return to generator. DOT Emergency Response
Guide # 60. Norris should bill United Pumping for the disposal charge.
16. United Pumping will bill Douglas.

GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month Day Year

05/17/93

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

ENRIQUE A GRANADOS

Signature

Enrique A Granados

Month Day Year

05/17/93

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

Do Not Write Below This Line

LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: Douglas Aircraft Co.EPA ID Number: CA086510005Manifest Number: 93077/ 90411883Date of Shipment: 05-17-93Indicate Waste Line Item (11): a

This notification is hereby submitted to **NORRIS ENVIRONMENTAL SERVICES** in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate box(es) below, which indicates how my waste must be managed to conform to land disposal ban and/or federal regulations.

RCRA Land Disposal NotificationCalifornia List Wastes Notification

- ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Waste Requires Treatment

Treatment Standard-Cyanide Destruction Stabilization

- ☒ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where no treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

- ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Metals Recovery Stabilization

Waste Treated to Performance Standards

(check those that apply)

- | | |
|--|-------------|
| <input type="checkbox"/> Arsenic and/or compounds (as As) | 5.0 mg/L; |
| <input type="checkbox"/> Barium and/or compounds (as Ba) | 100.0 mg/L; |
| <input type="checkbox"/> Cadmium and/or compounds (as Cd) | 1.0 mg/L; |
| <input type="checkbox"/> Chromium (VI and/or compounds as Cr VI) | 5.0 mg/L; |
| <input type="checkbox"/> Lead and/or compounds (as Pb) | 5.0 mg/L; |
| <input type="checkbox"/> Mercury and/or compounds (as Hg) | 0.2 mg/L; |
| <input type="checkbox"/> Selenium and/or compounds (as Se) | 1.0 mg/L; |
| <input type="checkbox"/> Silver and/or compounds (as Ag) | 5.0 mg/L. |

- ☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Treatment Standard-Carbon Adsorption Steam Stripping

- ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Waste Subject to Variance

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

- ☒ Liquid hazardous wastes having a pH less than or equal to two(2) or pH equal to or greater than 12.5.

- ☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or is soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

Treatment Standard-Neutralization Stabilization

- ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE. Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr.
Print Name

Senior Plant Engineer
Title

05-17-93
Date

Robert G. Tuell, Jr.
Signature

(310) 533-7926
Telephone Number



UNITED PUMPING SERVICE, INC. FIELD WORK ORDER

34162

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

PAGE ____ OF ____

CUSTOMER/ADDRESS	
MR DOUGLAS AIRCRAFT	
19503 S. NORMANDIE AVE	
TERRANCE CA	
PHONE NO	CONTACT
LOCATION	

DATE WORK PERFORMED:
DATE OF THIS REPORT:
TIME CALL RECEIVED:
CONTRACT NO.:
LOSS REPORT NO./P.O. NO

SCOPE OF WORK
PUMPED OUT CHROMIC ACID FROM BAKER TANK

EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
VACUUM TRUCK	22 F-16	ENRIQUE	5:31	6:45	10:45				

PERSONNEL: NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
90411883	NORRIS TNC	13110	P.

CONSUMABLE: TYPE	QTY	TYPE	QTY

ADDITIONAL INFORMATION

SIGNED

Robert B. J. [Signature]

CUSTOMER'S COPY

WEIGHT TICKET

2200 or 2300 g est

VENDOR: United Pumping

GROSS 49590

TRUCK #: 22 T-16

TARE 36,430

DATE: 05-17-93

NET 13,110

CONTENTS: Chromic Acid from tank 195 + rinse from Baker tank

DISPOSAL FACILITY: Norris

DRUM COUNT

DRIVER: E. Granados

GALLONS

STATE MANIFEST DOCUMENT NUMBER: 90411883